EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	702	"atm://" and URL	USPAT	OR	OFF	2004/10/31 13:21
S2	26	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2004/10/31 12:41
S3	26	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2004/10/31 12:41
S4	26	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2004/10/31 12:42
S5	26	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2004/10/31 12:42
S6	15	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	.2004/10/31 12:42
S7	15	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2004/10/31 12:42
S8	15	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2004/10/31 12:42
S9	14	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2004/10/31 12:42
S10	7	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2004/10/31 12:43
S11	42488	"atm://"	USPAT	OR	OFF	2004/10/31 13:19
S12	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2004/10/31 13:20
S13	0	"atm://ATM"	USPAT	OR	OFF	2004/10/31 13:20
S14	42488	"atm://"	USPAT	OR	OFF.	2004/10/31 13:20
S15	42488	"atm@"	USPAT	OR	OFF	2004/10/31 13:22

S16	0	atm adj "://"	USPAT	OR	OFF	2004/10/31 13:22
S17	42488	"atm:// "	USPAT	OR	OFF	2004/10/31 13:22
S18	0	atm adj url	USPAT	OR	OFF	2004/11/01 07:33
S19	428602	atm adj$3 url	USPAT	OR	OFF	2004/11/01 07:34
S20	31	atm same url	USPAT	OR	OFF	2004/11/01 07:34
S21	7366446	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2004/11/01 07:35
S22	31	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2004/11/01 09:00
S23	1	"6601127".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S24	0	"6757743".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S25	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2004/11/01 10:00
S26	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2004/11/01 10:00
S27	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2004/11/01 10:00
S28	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S29	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S30	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S31	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:01
S32	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:01

EAST Search History

S33	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2004/11/01 10:01
S34	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2004/11/01 10:44
S35	3340	uniform adj resource adj locator	USPAT	OR	OFF	2004/11/16 08:37
S36	1580	S35 and identifier	USPAT	OR	OFF	2004/11/16 08:37
S37	8	S36 and "service parameter"	USPAT	OR	OFF	2004/11/16 08:38
S38	8	S37 and ad@<"20010509"	USPAT	OR	OFF	2004/11/16 13:48
S39	6	"6285671"	USPAT	OR	OFF	2004/11/16 13:49
S40	6	"6285671"	USPAT	OR	OFF	2005/06/15 16:14
S41	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/15 16:14
S42	0	S41 with Digital with signal same URL	USPAT	OR	OFF	2005/06/15 16:15
S43	0	(S41 with Digital with signal) same URL	USPAT	OR	OFF	2005/06/15 16:15
S44	3	S41 same URL	USPAT	OR	OFF	2005/06/16 17:33
S45	7	"6510153"	USPAT	OR	OFF	2005/06/16 17:33
S46	825	"atm://" and URL	USPAT	OR	OFF	2005/06/20 09:51
S47	29	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/06/20 09:51
S48	28	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S49	28	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/06/20 09:51
S50	28	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/06/20 09:51

EAST Search History

S51	17	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/06/20 09:51
S52	17	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT ·	OR	OFF	2005/06/20 09:51
S53	17	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/06/20 09:51
S54	15	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/06/20 09:51
S55	7	(((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/06/20 09:51
S56	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S57	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/06/20 09:51
S58	0	"atm://ATM"	USPAT	OR	OFF	2005/06/20 09:51
S59	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S60	44713	"atm@"	USPAT	OR	OFF	2005/06/20 09:51
S61	0	atm adj "://"	USPAT	OR	OFF	2005/06/20 09:51
S62	44713	"atm:// "	USPAT	OR	OFF	2005/06/20 09:51
S63	0	atm adj url	USPAT	OR	OFF	2005/06/20 09:51
S64	446518	atm adj$3 url	USPAT	OR	OFF	2005/06/20 09:51
S65	40	atm same url	USPAT	OR	OFF	2005/06/20 09:51
S66	7472441	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S67	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S68	1	"6601127".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S69	0	"6757743".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S70	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51

S71	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51
S72	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S73	7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S74	7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S75	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S76	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S77	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S78	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S79	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/06/20 09:51
S80	3760	uniform adj resource adj locator	USPAT	OR	OFF	2005/06/20 09:51
S81	1791	S80 and identifier	USPAT	OR	OFF	2005/06/20 09:51
S82	9	S81 and "service parameter"	USPAT	OR	OFF	2005/06/20 09:51

EAST Search History

S83	9	S82 and ad@<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S84	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S85	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S86	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/20 09:51
S87	0	S86 with Digital with signal same URL	USPAT	OR	OFF	2005/06/20 09:51
S88	0	(S86 with Digital with signal) same URL	USPAT	OR	OFF	2005/06/20 09:51
S89	3	S86 same URL	USPAT	OR	OFF	2005/06/20 09:51
S90	7	"6510153"	USPAT	OR	OFF	2005/06/20 09:51
S91	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S92	5772	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S93	662	S92 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05
S94	109	S93 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05
S95	109	S94 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S96	1530803	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S97	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S98	831	"atm://" and URL	USPAT	OR	OFF	2005/07/11 14:48

S99	30	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/07/11 14:48
S100	29	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S101	29	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/07/11 14:48
S102	29	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/07/11 14:48
S103	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/07/11 14:48
S104	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/07/11 14:48
S105	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/07/11 14:48
S106	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/07/11 14:48
S107	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
S108	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S109	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/07/11 14:48
S110	0	"atm://ATM"	USPAT	OR	OFF	2005/07/11 14:48
S111	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S112	44881	"atm@"	USPAT	OR	OFF	2005/07/11 14:48

S11 3	0	atm adj "://"	USPAT	OR	OFF	2005/07/11 14:48
S11 4	44881	"atm:// "	USPAT	OR	OFF	2005/07/11 14:48
S11 5	0	atm adj url	USPAT	OR	OFF	2005/07/11 14:48
S11 6	448014	atm adj$3 url	USPAT	OR	OFF	2005/07/11 14:48
S11 7	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
S11 8	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S11 9	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S12 0	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 1	0	"6757743".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 2	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 3	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 4	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 5	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 6	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 7	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48

EAST Search History

S12 8	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 9	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S13 0	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S13 1	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/07/11 14:48
S13 2	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
S13 3	1813	S132 and identifier	USPAT	OR	OFF	2005/07/11 14:48
S13 4	9	S133 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
S13 5	9	S134 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S13 6	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S13 7	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S13 8	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
S13 9	0	S138 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 0	0	(S138 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 1	3	S138 same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 2	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48

S14 3	831	"atm://" and URL	USPAT	OR	OFF	2005/07/11 14:48
S14 4	30	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/07/11 14:48
S14 5	29	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S14 6	29	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/07/11 14:48
S14 7	29	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/07/11 14:48
S14 8	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/07/11 14:48
S14 9	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/07/11 14:48
S15 0	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/07/11 14:48
S15 1	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/07/11 14:48
S15 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/07/11 14:48
S15 3	0	"atm://ATM"	USPAT	OR	OFF	2005/07/11 14:48
S15 4	44881	"atm@"	USPAT	OR	OFF	2005/07/11 14:48
S15 5	0	atm adj "://"	USPAT	OR	OFF	2005/07/11 14:48
S15 6	44881	"atm:// "	USPAT	OR	OFF	2005/07/11 14:48
S15 7	0	atm adj url	USPAT	OR	OFF	2005/07/11 14:48
S15 8	448014	atm adj$3 url	USPAT	OR	OFF	2005/07/11 14:48

S15 9	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
S16 0	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S16 1	0	"6757743".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 2	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 3	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 4	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 5	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
S16 6	1813	S165 and identifier	USPAT	OR	OFF	2005/07/11 14:48
S16 7	9	S166 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
S16 8	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
S16 9	0	S168 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
S17 0	0	(S168 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
S17 1	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S17 2	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/07/11 14:48
S17 3	8	(((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
S17 4	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S17 5	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S17 6	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48

S17 7	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S17 8	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S17 9	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S18 0	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S18 1	9	S167 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S18 2	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S18 3	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S18 4	3	S168 same URL	USPAT	OR	OFF	2005/07/11 14:48
S18 5	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48

EAST Search History

S18 6	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S18 7	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S18 8	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S18 9	5850	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 0	662	S189 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 1	109	S190 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 2	109	S191 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 3	1535621	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 4	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 5	1	"20010046237"	US-PGPUB; USPAT	OR	ON	2006/02/14 11:32
S19 6	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S19 7	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S19 8	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17

S19 9	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17
S20 0	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S20 1	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S20 2	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S20 3	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S20 4	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/02/17 09:17
S20 5	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S20 6	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S20 7	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S20 8	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S20 9	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S21 0	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S21 1	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S21 2	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17

S21 3	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S21 4	464477	atm adj$3 url	USPAT	OR	OFF	2006/02/17 09:17
S21 5	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S21 6	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S21 7	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S21 8	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S21 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 0	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 1	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 2	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 3	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 4	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 5	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 6	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 7	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17

S228	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S229	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S230	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S231	2111	S230 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S232	10	S231 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S233	10	S232 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S234	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S235	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S236	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S237	0	S236 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S238	0	(S236 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S239	3	S236 same URL	USPAT	OR	OFF	2006/02/17 09:17
S240	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17
S241	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S242	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17

S24 3	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S24 4	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17
S24 5	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S24 6	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S24 7	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S24 8	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S24 9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/02/17 09:17
S25 0	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S25 1	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S25 2	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S25 3	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S25 4	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S25 5	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S25 6	464477	atm adj$3 url	USPAT	OR	OFF	2006/02/17 09:17
S25 7	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S25 8	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17

EAST Search History

S25 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 0	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 1	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 2	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 3	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S26 4	2111	S263 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S26 5	10	S264 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S26 6	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S26 7	0	S266 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S26 8	0	(S266 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S26 9	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 0	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S27 1	8	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S27 2	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S27 3	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 4	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17

S27 5	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 6	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 7	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 8	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 9	10	S265 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S28 0	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S28 1	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S28 2	3	S266 same URL	USPAT	OR	OFF	2006/02/17 09:17
S28 3	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17

S28 4	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S28 5	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S28 6	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 7	6898	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 8	671	S287 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 9	111	S288 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 0	111	S289 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 1	1599606	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 2	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 3	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S29 4	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S29 5	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S29 6	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17

S29 7	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S29 8	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S29 9	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S30 0	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S30 1	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/02/17 09:17
S30 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S30 3	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S30 4	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S30 5	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S30 6	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S30 7	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S30 8	464477	atm adj$3 url	USPAT	OR	OFF	2006/02/17 09:17
S30 9	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S31 0	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S31 1	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S31 2	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17

S31 3	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S31 4	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S31 5	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S31 6	2111	S315 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S31 7	10	S316 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S31 8	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S31 9	0	S318 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S32 0	0	(S318 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S32 1	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S32 2	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S32 3	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S32 4	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17
S32 5	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S32 6	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S32 7	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S32 8	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17

S329	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/02/17 09:17
S330	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S331	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S332	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S333	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S334	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S335	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S336	464477	atm adj$3 url	USPAT	OR	OFF	2006/02/17 09:17
S337	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S338	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S339	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S340	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S341	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S342	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S343	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S344	2111	S343 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S345	10	S344 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S346	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S347	0	S346 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S348	0	(S346 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17

S34 9	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 0	6898	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 1	671	S350 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 2	111	S351 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 3	1599606	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 4	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S35 5	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S35 6	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S35 7	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S35 8	8	(((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S35 9	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S36 0	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 1	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17

S36 2	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 3	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S36 4	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S36 5	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 6	10	S317 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S36 7	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S36 8	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S36 9	3	S318 same URL	USPAT	OR	OFF	2006/02/17 09:17
S37 0	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17

S37 1	8	(((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S37 2	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S37 3	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 4	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 5	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 6	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S37 7	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17

S37 8	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 9	10	S345 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S38 0	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S38 1	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S38 2	3	S346 same URL	USPAT	OR	OFF	2006/02/17 09:17
S38 3	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17
S38 4	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S38 5	111	S352 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S38 6	671	S350 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:05
S38 7	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S38 8	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S38 9	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17

EAST Search History

S39 0	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S39 1	1	"20010046237"	US-PGPUB; USPAT	OR	ON	2006/02/17 09:17
S39 2	90723	URL near5 compris$3 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 3	584420	@rlad<"19981209" and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:06
S39 4	6196	S392 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:06
S39 5	90723	"url" near5 compris$3 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 6	0	"url" near5 compris$3 near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 7	9	"url" near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:08
S39 8	0	S397 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:08
S39 9	9	url near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10
S40 0	0	S399 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10

S40 1	31	url near15 circuit near15 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:18
S40 2	0	S401 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10
S40 3	157	url same (circuit near15 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
S40 4	1	S403 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:15
S40 5	1026	url same (circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
S40 6	19	S405 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
S40 7	105	(url near15 circuit) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:34
S40 8	8	S407 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:18
S40 9	13	(url near15 circuit near switch$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:36
S41 0	0	S409 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:34

S41 1	22109	(circuit near switch$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S41 2	1132	S411 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 3	3	S412 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 4	0	S413 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:36
S41 5	0	S413 and (locator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 6	17	S412 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:39
S41 7	0	S416 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 8	80	S411 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S41 9	4	S418 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S42 0	22146	(circuit near switch$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29

EAST Search History

S42 1	80	S420 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29
S42 2	9891	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29
S42 3	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:04
S42 4	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:04
S42 5	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:04
S42 6	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:04
S42 7	19	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:04
S42 8	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:04
S42 9	16	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/09/05 13:04
S43 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:04
S43 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:04
S43 5	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:04
S43 6	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:04
S43 7	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:04
S43 8	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:04

S43 9	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:04
S44 0	68	atm same url	USPAT	OR	OFF	2006/09/05 13:04
S44 1	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:04
S44 4	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 0	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 1	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S45 6	2442	S455 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S45 7	11	S456 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S46 1	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S46 2	0	S461 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S46 5	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S46 6	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S46 7	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S46 8	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S46 9	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S47 0	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05

S47 1	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S47 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S47 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S47 4	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S47 5	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S47 6	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S47 7	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S47 8	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:05
S47 9	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S48 0	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S48 1	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 3	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 4	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S48 6	2442	S485 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S48 7	11	S486 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S48 8	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S48 9	0	S488 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S49 0	0	(S488 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05

EAST Search History

S50 8	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S50 9	7802	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S51 1	113	S510 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S51 3	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S51 4	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S51 5	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S51 6	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S51 7	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S51 8	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S51 9	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S52 0	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S52 1	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/09/05 13:05

S52 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S52 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S52 4	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S52 5	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S52 6	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S52 7	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S52 8	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:05
S52 9	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S53 0	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S53 1	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 3	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 4	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S53 6	2442	S535 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S53 7	11	S536 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S53 8	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S53 9	0	S538 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S54 0	0	(S538 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
S54 1	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S54 2	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S54 3	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05

S54 4	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S54 5	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S54 6	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S54 7	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S54 8	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S54 9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/09/05 13:05
S55 0	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S55 1	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S55 2	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S55 3	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S55 4	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S55 5	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S55 6	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:05
S55 7	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S55 8	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S55 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05

S560	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S561	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S562	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S563	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S564	2442	S563 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S565	11	S564 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S566	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S567	0	(S566 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
S568	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S569	7802	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S571	113	S570 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S609	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S610	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S611	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S612	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S613	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05

S61 4	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S61 5	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S61 6	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S61 7	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/09/05 13:05
S61 8	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S61 9	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S62 0	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S62 1	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S62 2	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S62 3	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S62 4	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:05
S62 5	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S62 6	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S62 7	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S62 8	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S62 9	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S63 0	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05

S63 1	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S63 2	2442	S631 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S63 3	11	S632 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S63 4	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S63 5	0	S634 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S63 6	0	(S634 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
S63 7	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S63 8	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S63 9	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S64 0	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S64 1	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S64 2	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S64 3	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S64 4	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S64 5	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2006/09/05 13:05
S64 6	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05

S64 7	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S64 8	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S64 9	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S65 0	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S65 1	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S65 2	485588	atm adj$3 url	USPAT	OR	OFF	2006/09/05 13:05
S65 3	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05